

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	449336	(fault\$1tolerant or (highly\$1available or high\$1availability or ha))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 09:42
S2	535	rule\$1 with (fault\$1tolerant or (highly\$1available or high\$1availability or ha))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 09:42
S3	2	rule\$1 with (fault\$1tolerant or (highly\$1available or high\$1availability or ha)) and (exist\$1 with parameter\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/11 13:13
S4	3	rule\$1 with (fault\$1tolerant or (highly\$1available or high\$1availability or ha)) and (collect\$3 with parameter\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/11 13:14
S5	85717	(data near process\$3 near system\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/11 13:20
S6	4429	(data near process\$3 near system\$1) and (defin\$3 with parameter\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/11 13:15
S7	500	(data near process\$3 near system\$1) and (defin\$3 with parameter\$1) and (collect\$3 with parameter\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/11 13:15
S8	119	(data near process\$3 near system\$1) and (defin\$3 with parameter\$1) and (collect\$3 with parameter\$1) and (fault\$1tolerant or (highly\$1available or high\$1availability or ha))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/11 13:16

EAST Search History

S9	2	(data near process\$3 near system\$1) and (defin\$3 with parameter\$1) and (collect\$3 with parameter\$1) and (fault\$1tolerant or (highly\$1available or ha)) and (automatic\$4 same reconfigur\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/11 13:18
S10	4	(data near process\$3 near system\$1) and (defin\$3 with parameter\$1) and (collect\$3 with parameter\$1) and (fault\$1tolerant or (highly\$1available or ha)) same rule\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/11 13:20
S11	0	(data near process\$3 near system\$1) and (exist\$3 with paramter\$1) and rules	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/11 13:21
S12	1315	(data near process\$3 near system\$1) and (exist\$3 same parameter\$1) and rules	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/11 13:21
S13	421	(data near process\$3 near system\$1) and (exist\$3 with parameter\$1) and rules	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/11 13:21
S14	12	(data near process\$3 near system\$1) and (exist\$3 with parameter\$1) and rules and (collect\$3 same (exist\$3 with parameter\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 10:58
S15	15	(find\$3 with exist\$3 with system with parameter\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/11 13:50
S16	4111	(exist\$3 with system with parameter\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/11 13:50

EAST Search History

S17	2405	(exist\$3 with system with parameter\$1) and configur\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/11 13:50
S18	1780	(exist\$3 with system with (parameter\$1 or configur\$5)) and configur\$5 and ((target or propos\$3 or final or ultimat\$3) with ((parameter\$1 or configur\$5)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/11 15:09
S19	500	(exist\$3 with system with (parameter\$1 or configur\$5)) and configur\$5 and ((target or propos\$3 or final or ultimat\$3) with ((parameter\$1 or configur\$5))) and (user same ((target or propos\$3 or final or ultimat\$3) with ((parameter\$1 or configur\$5))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/11 13:53
S20	231	(exist\$3 with system with (parameter\$1 or configur\$5)) and configur\$5 and ((target or propos\$3 or final or ultimat\$3) with ((parameter\$1 or configur\$5))) and (user same ((target or propos\$3 or final or ultimat\$3) with ((parameter\$1 or configur\$5)))) and (mirror\$3 or backup or back\$1up or replicat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/11 13:54
S21	51	(exist\$3 with system with (parameter\$1 or configur\$5)) and configur\$5 and ((target or propos\$3 or final or ultimat\$3) with ((parameter\$1 or configur\$5))) and (user same ((target or propos\$3 or final or ultimat\$3) with ((parameter\$1 or configur\$5)))) and (mirror\$3 or backup or back\$1up or replicat\$3) and (upgrad\$3 same (os or (operat\$3 near system)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/11 14:10

EAST Search History

S22	38	(exist\$3 with system with (parameter\$1 or configur\$5)) and configur\$5 and ((target or propos\$3 or final or ultimat\$3) with ((parameter\$1 or configur\$5))) and (user same ((target or propos\$3 or final or ultimat\$3) with ((parameter\$1 or configur\$5)))) and (mirror\$3 or backup or back\$1up or replicat\$3) and (upgrad\$3 same (os or (operat\$3 near system))) and librar\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 14:27
S23	38	(exist\$3 with system with (parameter\$1 or configur\$5)) and ((target or propos\$3 or final or ultimat\$3) with ((parameter\$1 or configur\$5))) and (user same ((target or propos\$3 or final or ultimat\$3) with ((parameter\$1 or configur\$5)))) and (mirror\$3 or backup or back\$1up or replicat\$3) and (upgrad\$3 same (os or (operat\$3 near system))) and librar\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/11 13:57
S24	0	("2005/0055247").URPN.	USPAT	OR	OFF	2006/04/11 14:10
S25	14	("4888771" "5761380" "5790780" "5953533" "6199204" "6202207" "6263387" "6266407" "6327623" "6480955" "6484128" "6591417" "6618857").PN. OR ("6826683").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/11 14:10
S26	1248	((fault\$1tolerant or (highly\$1available or high\$1availability) or continu\$5) with rule with (set or group or subset))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/11 15:21
S27	7	((fault\$1tolerant or (highly\$1available or high\$1availability) or continu\$5) with rule with (set or group or subset)) and ((back\$1up or backup or archive) with (parameter\$1 or configur\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/11 15:59

EAST Search History

S28	50	((("5303393") or ("5764691") or ("5894494") or ("5999562") or ("5274508") or ("4455483") or ("5920592") or ("5966512") or ("5177796") or ("5280584") or ("5481531") or ("5650799") or ("5684774") or ("6202073") or ("4415792") or ("4627026") or ("4924426") or ("4972474") or ("5237529") or ("5377102") or ("5450370") or ("5467436") or ("5477492") or ("5583975") or ("5592413") or ("5657398") or ("5680479") or ("5680478") or ("5742509") or ("5797027") or ("5901152") or ("5974391") or ("6081616") or ("6115497") or ("4315315") or ("4330689") or ("4366535") or ("4400778") or ("4412288") or ("4434463") or ("4491916") or ("4586094") or ("4616313") or ("4757454") or ("4769648") or ("4771375") or ("4851995") or ("4896146") or ("4949287") or ("4964164"))).PN.	USPAT; USOCR	OR	OFF	2006/04/11 15:59
S29	78	(fault\$1tolerant or (highly\$1available or high\$1availability)) same (rule\$1 or law\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 09:44
S30	31	(fault\$1tolerant or (highly\$1available or high\$1availability)) same (rule\$1 or law\$1) and parameter\$1 and configuration\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 09:45
S31	21214	((exist\$3 or current or present) with configuration\$1) and ((target or final or end\$3) with configuration\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 11:02
S32	202	((exist\$3 or current or present) with configuration\$1 with parameter\$1) and ((target or final or end\$3) with configuration\$1 with parameter\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 11:01

EAST Search History

S33	2	((exist\$3 or current or present) with configuration\$1 with parameter\$1) and ((target or final or end\$3) with configuration\$1 with parameter\$1) and (fault\$1tolerant or (highly\$1available or high\$1availability))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 11:01
S34	160	((exist\$3 or current or present) with configuration\$1) and ((target or final or end\$3) with configuration\$1) and (fault\$1tolerant or (highly\$1available or high\$1availability))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 11:02
S35	4	((exist\$3 or current or present) with configuration\$1) and ((target or final or end\$3) with configuration\$1) and ((fault\$1tolerant or (highly\$1available or high\$1availability)) same rule\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 14:27
S36	1	("6618805").PN.	USPAT; USOCR	OR	OFF	2006/04/12 14:24
S37	23	((exist\$3 or current or present) with configuration\$1) and ((target or final or end\$3) with configuration\$1) and (((os or operat\$1) near system) with (upgrad\$3 or new))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 14:28
S38	0	((exist\$3 or current or present) with configuration\$1) and ((target or final or end\$3) with configuration\$1) and (((os or operat\$1) near system) with (upgrad\$3 or new)) and (print\$3 same audit\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 14:39
S39	4	((exist\$3 or current or present) with configuration\$1) and ((target or final or end\$3) with configuration\$1) and (((os or operat\$1) near system) with (upgrad\$3 or new)) and (print\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 15:05
S40	24	((exist\$3 or current or present) with configuration\$1) and (((os or operat\$1) near system) with (upgrad\$3 or new)) and (print\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 15:06

EAST Search History

S41	0	((exist\$3 or current or present or target or final) with configuration\$1) and (((os or operat\$1) near system) with (upgrad\$3 or new)) and ((print\$3) with audit\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 15:07
S42	2	((exist\$3 or current or present or target or final) with configuration\$1) and (((os or operat\$1) near system) with (upgrad\$3 or new)) and ((print\$3) with (audit\$3 or test\$3 or review\$3 or chang\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 15:11
S43	21	((os or operat\$1) near system) with (upgrad\$3 or new)) and ((print\$3) with (audit\$3 or test\$3 or review\$3 or chang\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 15:15
S44	3886	((os or operating) near system) with (upgrad\$3 or new)) and ((print\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 15:16
S45	239	((os or operating) near system) with support\$3 with (upgrad\$3 or new)) and ((print\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 15:16
S46	63	((os or operating) near system) with support\$3 with (upgrad\$3 or new)) and ((print\$3) same (audit\$3 or test\$3 or review\$3 or chang\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 15:18
S47	58	((os or operating) near system) with support\$3 with (upgrad\$3 or new)) and ((print\$3) same (audit\$3 or test\$3 or review\$3 or chang\$3)) and configurat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 15:18
S48	33	((os or operating) near system) with support\$3 with (upgrad\$3 or new)) and ((print\$3) same (audit\$3 or test\$3 or review\$3 or chang\$3)) and configurat\$3 and rule\$1 and parameter\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 15:26

EAST Search History

S49	1	((os or operating) near system) with support\$3 with (upgrad\$3 or new)) and ((print\$3 near queue\$3) same (audit\$3 or test\$3 or review\$3 or chang\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 15:30
S50	3	((os or operating) near system) with support\$3 with (upgrad\$3 or new)) and ((print\$3 near queue\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 15:28
S51	361	((print\$3 near queue\$3) same (audit\$3 or test\$3 or review\$3 or chang\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 15:30
S52	42	((print\$3 near queue\$3) same (audit\$3 or test\$3 or review\$3 or chang\$3)) and (support\$3 with (os or (operat\$3 near system)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 15:31
S53	21	((print\$3 near queue\$3) same (audit\$3 or test\$3 or review\$3 or chang\$3)) and (support\$3 with (os or (operat\$3 near system) same (upgrade or chang\$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 15:32
S54	21	((print\$3 near queue\$3) same (audit\$3 or test\$3 or review\$3 or chang\$3)) and (support\$3 with (os or (operat\$3 near system) same (upgrad\$3 or chang\$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 15:39
S55	8060	(exist\$3 with operat\$3 with system\$1) and ((upgrad\$3 or chang\$3) with operat\$3 with system\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 15:41
S56	34	(exist\$3 with operat\$3 with system\$1) and ((upgrad\$3 or chang\$3) with operat\$3 with system\$1) and (print\$3 near queue\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 16:00

EAST Search History

S57	552	(exist\$3 near operat\$3 near system\$1) and ((upgrad\$3 or chang\$3) with operat\$3 with system\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 16:01
S58	0	(exist\$3 near operat\$3 near system\$1) and ((upgrad\$3 or chang\$3) with operat\$3 with system\$1) and print\$3 near queu\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 16:02
S59	2	(exist\$3 near operat\$3 near system\$1) and ((upgrad\$3 or chang\$3) with operat\$3 with system\$1) and (print\$3 near (audit\$3 or test\$3 or review\$3 or chang\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 16:04
S60	241	(exist\$3 near operat\$3 near system\$1) and ((upgrad\$3 or chang\$3) with operat\$3 with system\$1) and (print\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 16:29
S61	34	(exist\$3 near operat\$3 near system\$1) and ((upgrad\$3 or chang\$3) with operat\$3 with system\$1) and (print\$3 with (check\$3 or valid\$5 or aidit\$3 or test\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 17:49
S62	68	(exist\$3 near operat\$3 near system\$1) and ((upgrad\$3 or chang\$3) near\$5 operat\$3 near system\$1) and (print\$3 with (check\$3 or valid\$5 or aidit\$3 or test\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 16:35
S63	0	(exist\$3 near operat\$3 near system\$1) and ((upgrad\$3 or chang\$3) near operat\$3 near system\$1) and (print\$3 with (check\$3 or valid\$5 or aidit\$3 or test\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 16:36
S64	68	(exist\$3 near operat\$3 near system\$1) and ((upgrad\$3 or chang\$3) near\$2 operat\$3 near system\$1) and (print\$3 with (check\$3 or valid\$5 or aidit\$3 or test\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 16:38

EAST Search History

S65	28	(exist\$3 near operat\$3 near system\$1) and ((upgrad\$3 or chang\$3) with (operat\$3 near system\$1)) and (print\$3 with (check\$3 or valid\$5 or aidit\$3 or test\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 16:39
S66	25	(exist\$3 near operat\$3 near system\$1) and ((upgrad\$3) with (operat\$3 near system\$1)) and (print\$3 with (check\$3 or valid\$5 or aidit\$3 or test\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 16:54
S67	116	(database\$1 with print\$3 with queu\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 16:55
S68	1	(database\$1 with print\$3 with queu\$3) and (upgrad\$3 with (operat\$3 adj system))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 16:57
S69	116	(database\$1 with print\$3 with queu\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 16:58
S70	75	(database\$1 with print\$3 with queu\$3) and ((os or (operat\$3 adj system\$1))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 16:58
S71	9	(database\$1 with print\$3 with queu\$3) and ((os or (operat\$3 adj system\$1)) with (upgrad\$3 or new or chang\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 17:19
S72	40854	(support\$3 with (os or (operat\$3 adj system\$1))) and ((os or (operat\$3 adj system\$1)) with (upgrad\$3 or new or chang\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 17:27

EAST Search History

S73	3	(support\$3 with (os or (operat\$3 adj system\$1))) and ((os or (operat\$3 adj system\$1)) with (upgrad\$3 or new or chang\$3)) and (database\$1 with print\$3 with queu\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 17:22
S74	847	(support\$3 with (os or (operat\$3 adj system\$1))) and ((os or (operat\$3 adj system\$1)) with (upgrad\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 17:28
S75	38	(support\$3 with (os or (operat\$3 adj system\$1))) and ((os or (operat\$3 adj system\$1)) with (upgrad\$3)) and ((exist\$1) with configuration\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 17:31
S76	96	(support\$3 with exist\$3 with (os or (operat\$3 adj system\$1))) and ((os or (operat\$3 adj system\$1)) with (upgrad\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 17:31
S77	71	(support\$3 with exist\$3 with (os or (operat\$3 adj system\$1))) and ((os or (operat\$3 adj system\$1)) with (upgrad\$3)) and configuration\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 17:32
S78	54	(support\$3 with exist\$3 with (os or (operat\$3 adj system\$1))) and ((os or (operat\$3 adj system\$1)) with (upgrad\$3)) and (configuration\$1 with (exist\$3 or target))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 17:34
S79	32	(support\$3 with exist\$3 with ((operat\$3 adj system\$1))) and (((operat\$3 adj system\$1)) with (upgrad\$3)) and (configuration\$1 with (exist\$3 or target))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 17:34
S80	8	("5467434" "5580177" "5692111" "6088120" "6288790" "6348971" "6453268").PN. OR ("6606162").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/12 17:48

EAST Search History

S81	1689	(upgrad\$3 with ("operating system"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 17:49
S82	107	(upgrad\$3 with ("operating system")) and (exist\$1 with ("operating system"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 17:52
S83	2	(upgrad\$3 with ("operating system")) and (exist\$1 with support\$3 with ("operating system"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 17:52
S84	91	(upgrad\$3 with ("operating system")) and (exist\$1 with ("operating system")) and configuration\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 17:52
S85	32	(upgrad\$3 with ("operating system")) and (exist\$1 with ("operating system")) and configuration\$1 and rule\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 17:57
S86	1	("6826760").PN.	USPAT; USOCR	OR	OFF	2006/04/12 17:57
S87	0	("2368142.2").PN.	EPO	OR	OFF	2006/04/13 10:46
S88	0	("2368142").PN.	EPO	OR	OFF	2006/04/13 10:46
S89	0	("2368142").PN.	EPO	OR	OFF	2006/04/13 10:46
S90	3	("2368142").PN.	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 10:46